



# NAVAL POSTGRADUATE SCHOOL Monterey, California





# **THESIS**

ADMINISTRATIVE SCIENCES DEPARTMENT TRAVEL DATABASE SYSTEM

Matthew Curran Ragan

September, 1992

Thesis Advisor:

Tung X. Bui

Approved for public release; distribution is unlimited

	THIS PAGE

REPORT DOCUMENTATION PAGE							
1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIVE MARKINGS					
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT					
2b. DECLAS	SIFICATION/DOW	NGRADING SCHEDU	LE	Approved for publ	ic release; distribu	ition is unlin	nited.
A DEDECIPA	IING ORGANIZAT	ION REPORT NUMBE	:0(c)	5. 10NITORING O	PGANIZATION PER	OPT NI IMBI	:0/\$\
4. PERI OM		OWNER OWN ROWING	cu(3)		NOAMIZATION REP	OKT NOW,	-1/1/
	F PERFORMING ( graduate School	DRGANIZATION	6b OFFICE SYMBOL (If applicable)	7a. NAME OF MON		ZATION	
	0.400	1700.41	37		C		
	iS (City, State, and CA 93943-5000	d ZIP Code)		Monterey, CA 939	, State, and ZIP Co. 943-5000	de)	
Monterey,	OA 30343-0000			Monterey, Or 30.	34e 3000		
8a. NAME ( ORGANIZA	OF FUNDING/SPOI	NSORING	8b OFFICE SYMBOL (If applicable)	9. PROCUREMENT	INSTRUMENT IDE	NTIFICATION	NUMBER
8c. ADDRES	SS (City, State, and	d ZIP (ie)	<del></del>	10. SOURCE OF FU	NDIF'S NUMBERS	<del></del>	
				Program Element No	Project No	Task No	Work Unit Accession Number
Administra	nclude Security Clause Sciences De	assification) partmer' 7 avel Da	tabase System	**************************************		·····	
13a TYPE C Master's Th		13b. TIME C	OVERED To	14 DATE OF REPOR 1992 September 24	-	15. PA	GE COUNT 58
16. SUPPLE	MENTARY NOTA	TION	· · · · · · · · · · · · · · · · · · ·	<u> </u>	<del></del>	<u>.</u>	
		hesis are those of the	e author and do not refle	ect the official policy o	or position of the D	epartment o	f Defense or the U.S.
Governmen 17. COSATI		<del> </del>	18 SUBJECT TERMS (	continue on reverse if	f necessary and ide	ntify by bloc	k number)
FIELD	GROUP	SUBGROUP	10 3005261 1211113 (1	continue on reverse n	necessary and roc	andry by bloc	k numer,
			-				
19. ABSTRA	.CT (continue on r	reverse if necessary a	and identify by block nu	mber)			
19. ABSTRACT (continue on reverse if necessary and identify by block number)  The Administrative Sciences (AS) Department of the Naval Postgraduate School (NPS) produces a high volume of travel orders and travel claims for both civilian and military personnel. The data used in these documents consist of all departmental personnel and travel data. This database requires constant and labor intensive maintenance to ensure accurate, up-to-date personnel and travel information. This thesis defines, designs and implements a database application that the Administrative Sciences Department can use to manage the departmental travel order and travel claims requirements. This new prototype is named "Travel Database System (TDS), version 1.0. This document provides an in depth outline covering software requirements analysis, design and implementation. This system was written using OMNIS7 Integrated Development Environment, version 1.03. OMNIS7 is a Microsoft Windows based application generator.							
_	UTION/AVAILABI SIFIED/UNLIMITED	LITY OF ABSTRACT  SAME AS REPORT	DTIC USERS	21. ABSTRACT SEC	CURITY CLASSIFICA	HON	
	OF RESPONSIBLE		Dire Ozens	22b. TELEPHONE (	Include Area code	)	22c. OFFICE SYMBOL
Tung X. Bui (408) 646-2630 AS/BU							

**DD FORM 1473, 84 MAR** 

83 APR edition may be used until exhausted All other editions are obsolete SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED

Approved for public release; distribution is unlimited.

# ADMINISTRATIVE SCIENCES DEPARTMENT TRAVEL DATABASE SYSTEM

by

Matthew Curran Ragan Lieutenant, United States Navy B.S., University of Washington, 1985

Submitted in partial fulfillment of the requirements for the degree of

## MASTER OF SCIENCE IN COMPUTER SYSTEMS MANAGEMENT

from the

NAVAL POSTGRADUATE SCHOOL September 1992

Author:	Mother Chaga	
	Matthew C. Ragan	
Approved by:	TURBIN	
	Tung X. Bui Phesis Advisor	
	Alla P. D.	
	Shu S. Liao, Second Reader	
	1.	
	David Whipple, Chairman	
	Department of Administrative Sciences	

## ABSTRACT

The Administrative Sciences (AS) Department of the Naval Postgraduate School (NPS) produces a high volume of travel orders for both civilian and military personnel. The data used in these documents consist of all departmental personnel and travel data. This database requires constant and labor intensive maintenance to ensure accurate, up-to-date personnel and travel information. This thesis defines, designs and implements a database application that the Administrative Sciences Department can use to manage the departmental travel order and travel claims requirements. This new prototype is named "Travel Database System (TDS)", version 1.0. This document provides an in depth outline covering software requirements analysis, design and implementation. This system was written using OMNIS7 Integrated Development Environment, version 1.03. OMNIS7 is a Microsoft Windows based application generator.

Accesio	n For				
NTIS DTIC Unanno Justific	TAB ounced	<b>1</b>			
By	By				
Availability Codes					
Dist		and for edist			
A-1					



## TABLE OF CONTENTS

I. INTRO	DUCTION	1
Α.	OBJECTIVE	1
В.	TRAVEL DATABASE SYSTEM: AN OVERVIEW	2
II. DEFII	NITION PHASE	3
A.	SCOPE OF THE PROJECT	3
III. REQ	UIREMENTS PHASE	5
A.	METHODOLOGY	5
В.	DATA REQUIREMENTS	6
C.	UPDATE, DISPLAY AND CONTROL MECHANISMS	9
IV. EVA	LUATION PHASE	25
V. DESIG	GN PHASE	27
A.	NORMALIZATION	27
В.	PHYSICAL DATABASE DESIGN	28
VI. IMPI	LEMENTATION PHASE	29
A.	PROGRAMMING	29
В.	TESTING AND INSTALLATION	32
VII CON	JOI LICION	22

APPENDIX A. USER'S GUIDE TO THE ADMINISTRATIVE SCIENCE			
DEPARTMENT'S TEMADD DATABASE SYSTEM	34		
A. INTRODUCTION	34		
B. GETTING STARTED	34		
C. PUSH BUTTONS	41		
D. PERSONNEL DATA FORM	41		
1. Data Entry	41		
2. Find\View\Edit Record	42		
3. Delete Record	42		
4. DD 1610 Data Entry Form	43		
a. Data Entry	43		
b. Find\View\Edit Record	43		
c. Delete a Record	44		
d. Print a DD 1610	44		
e. NAVPERS 1320	44		
f. DD 1351	45		
APPENDIX B. REQUIRED FORMS	46		
LIST OF REFERENCES	50		
INITIAL DISTRIBUTION LIST			

#### I. INTRODUCTION

6.1

#### A. OBJECTIVE

The purpose of this thesis is to design and implement a Microsoft Windows-based database system. This will significantly decrease the labor hours consumed in the generation of travel orders and travel claims within the Administrative Sciences Department at the Naval Postgraduate School. The manual system currently in place will be replaced by a single point data entry system in which repetitive tasks will be automated to the greatest extent possible. The practice of reentering data for each travel order and travel claim will be eliminated. The system will produce computerized reports which meet external reporting requirements while providing the ability to generate custom internal reports on an ad-hoc basis. The Microsoft Windows-based system will require minimal computer knowledge by the end-user. The application is written using OMNIS7 Integrated Development Environment and is implemented on a Microsoft Windows-based personal computer.

Travel Database System is a Windows based application that allows the travel clerk to enter a complete record through the entry of multiple data fields in related windows. The application provides a method for retrieving, editing, deleting, inserting records. The system is tailored to produce the DD 1610, NAVPERS 1320 and the DD 1351.

## B. TRAVEL DATABASE SYSTEM: AN OVERVIEW

The Travel Database System (TDS) is developed to enhance the ability of the Administrative Sciences Department to automate the generation of travel orders and travel claims for both civilian and military personnel. To accomplish this goal a detailed analysis of the required input forms and output reports was conducted. From this the flow of information as well as the unique attributes associated with each was determined. The DD 1610, NAVPERS 1320 and the DD 1351 forms were used as the basis for the initial data structure. User requirements were determined through extensive interviews. The requirements were transformed into a prototype system which was demonstrated to the prospective end-users. To meet specific user requirements, the advanced features of the development environment were taken advantage of.

The underlying structure of OMNIS7 eliminated the requirement of using common fields to create a link between objects. This system is developed using Blythe Software's OMNIS7 Integrated Development Environment, version 1.03.

## II. DEFINITION PHASE

The first phase of an application development is to define what the project will do. The project may be to modify an existing application, develop a comprehensive set of applications around a common database, or automate a manual data related task. The definition can be determined by a team of experts working together or through a series of interviews or a combination of both of these. The scope of the project is determined during the definition phase (i.e., what will be included as necessary functions as well as what would be extraneous functionality). The final function of the definition phase is determined the feasibility of the project. Feasibility includes cost, technical and schedule. [Ref 3: pg. 75]

## A. SCOPE OF THE PROJECT

The goal of this project was to automate and track Temporary Additional Duty orders and travel claims generation. A determination was made that all work could be accomplished on a single IBM-compatible 386 computer operating under Microsoft Windows using 4mb RAM. The project was scheduled to run from March 92 to June 92. An extension until September 92 was granted due to the complexity of the OMNIS7 Integrated Development Environment. System functionality requirements were determined during interviews with members of the Administrative Sciences Department as well as those members of the staff for whom the application was designed.

The requirements which were agreed upon included the following:

- Microsoft Windows based application developed using the OMNIS7 Integrated Development Environment
- 2. A data structure was to be developed which would link the required reports to the personnel data file format.
- 3. The on-screen editor would resemble the actual form as closely as possible.
- 4. \_n-screen editing and updating of forms could be completed easily.

## III. REQUIREMENTS PHASE

The requirements phase is the one during which the determination is made of exactly what it is that the system will do. The goals of the system are delineated. The methods for determining the scope of the user's requirements are varied. Interviews are sometimes ineffective as the users themselves do not have the knowledge to put forth pertinent questions. In this case it is up to the design team to sound the users for concepts of what it is they need. The design team may use a prototype which includes sample forms, reports and menus to give the end user an idea of the capabilities of the proposed system. [Ref. 3:pg 77]

#### A. METHODOLOGY

Interviews were conducted with the members of the Administrative Sciences

Department for whom the application would be developed. The administrative assistant
described functional requirements in great detail. The professors supervising the
development provided the information related to the underlying data structure.

The process of producing a prototype system from the initial requirements and its first version was reviewed by the supervising professor. Minor changes in the screen displays were requested. This process required just one iteration. The final version was delivered and deemed acceptable both by the end user and the supervising professor. The prototype was installed, allowing enough time for the developer to make minor changes

in structure and report format. An in depth tutorial for the end user was provided by the system developer.

## **B. DATA REQUIREMENTS**

In a relational database structure the underlying entity is an object. In the OMNIS7 Integrated Development Environment the individual objects are defined by file formats, as shown in Tables 1 through 5. It was determined that a total of four file formats would need to be developed. The formats which comprise the data structure of the TDS are PERSDATA.DF1, DD1610.DF1, NP1320.DF1 and DD1351.DF1. The file formats are linked using the Record Sequencing Number (RSN) feature.

The PERSDATA.DF1 file format is comprised of data and object properties, which comprise each personnel record in the personnel file. This is the information which is required for the personnel information portion of the DD forms 1610 and 1351 as well as the NAVPERS form 1320. The PERSDATA.DF1 represents the parent file format in the parent-child file format relationship as shown in Figure 1.




Figure 1. Relational Diagram

The file format DD1610.DF1 is a child file format. This format has an optional Mai:, (DD1610)-to-One(PERSDATA) relationship. The file format NP1320.DF1 is also a child of PERSDATA and shares the same relationship as the DD1610 file format. The DD1351.DF1 file format is a child of both the DD1610 and the NP1320 file formats. This file format shares an optional One-to-One relationship with it's parent file formats. See Figure 2.




Figure 2. File Format Relationship

## C. UPDATE, DISPLAY AND CONTROL MECHANISMS

In order to complete the development of a database application the user-system interactions must be delineated. In the case of TDS this meant developing a plan for the user to make his/her way through a series of data display windows while manipulating the required data. (See Data Flow Diagrams depicted in Figures 3 and 4).




Figure 3. Context Level Dataflow Diagram




Figure 4. System Level Dataflow Diagram

The data flow begins with a government traveler submitting a travel request form.

The Administrative Assistant will open the Personnel Data Window and search the database for the member using either the member's Social Security Number or the

member's Last Name. If the member is not in the database the member will be entered. If the member is in the database the record will be checked for validity and updated if required. If the member is in the Navy then the NAVPERS 1320 window is opened from within the Personnel Data Window. If the member is not in the military the DD1610 Window is opened from within the Personnel Data Window. At this point all the data entry fields of the forms pertaining to Personnel Data are automatically filled in. The Administrative Assistant is then tasked with completing the form. The completed form is then printed out and delivered.

In order to complete the DD form 1351, the user enters the database through the Personnel Data Window, finds the member, then opens either the DD 1610 window or the NAVPERS 1320 window whichever is appropriate. The travel order which corresponds to the requested DD1351 must be displayed on the screen. The user then selects DD 1351 and the data entry window is opened with all previously entered data automatically displayed. The administrative assistant then enters the remaining data, prints the report, and submits it to the appropriate office.

The diagram depicted in Figure 5 is a representation of the menu hierarchy. In this database application the menu hierarchy is a direct representation of the underlying data structure.




Figure 5. Menu Hierarchy

## **DATA DICTIONARY**

## TABLE 1. DATA FILES

FILE NAME	TYPE	DESCRIPTION
PERSDATA.DF1	DATA	ATTRIBUTES OF PERSONNEL DATA FILE
DD1610.DF1 ·	DATA	ATTRIBUTES OF DD 1610
NP1320.DF1	DATA	ATTRIBUTES OF NAVPERS 1320\B
DD1351.DF1	DATA	ATTRIBUTES OF DD 1351

TABLE 2. FILE FORMAT PERSDATA.DF1

Element	Type	Width	Description
LAST_NAME	Character	15 IND	last name
FIRST_NAME	Character	15 IND	first name
MIDDLE_INITIAL	Character	1	middle initial
POSITION	Character	35	
SSN	Character	11 IND	
PHONE_NUMBER	Character	13	
DEPARTMENT	Character	15	
CLEARANCE	Character	15	Security clearance
OFF_STA	Character	30	Official Station
ORG_ELE	Character	30	Organizational Element
TYPE_TRAVELER	Character	10	
DESIGNATOR	Character	4	
STREET_ADDRESS	Character	30	
CITY	Character	10	
STATE	Character	2	
ZIP_CODE	Character	5	
RANK_1	Character	6	
SERVICE_1	Character	6	

Record length is between 26 and 338 bytes
1000 records may use between 141000 and 615000 disk bytes

TABLE 3. FILE FORMAT DD1610.DF1

Element	Type	Width	Description
REQUEST_DATE	Date	D m Y	
PROCEED_DATE	Date	D m Y	Block 10b
PURPOSE	Character	280	Block 9
ITINERARY	Character	42	Block 11
RETURN_DATE	Date	D m Y	Included in Block 11
APPOX_DAYS	Character	10	Block 10a
TYPE_ORDERS	Character	5	Block 7
VAR_AUTH	Character	1	Included in
			Block 11
			Variation Authorized
COM_RAIL	Character	1	Block 12
			Commercial Rail
COM_AIR	Character	1	Block 12
			Commercial Air
COM_BUS	Character	1	Block 12
			Commercial Bus
COM_SHIP	Character	1	Block 12
			Commercial Ship
GOV_AIR	Character	1	Block 12
			Government Air

## TABLE 3, cont.

GOV_VEH	Character	1	Block 12
			Government Vehicle
GOV_SHIP	Character	1	Block 12
			Government Ship
RATE_PER_MILE	Number	2 dp	Block 12
			Rate Per Mile
ADV_GOVT	Character	1	Block 12
			Advantage Gov't
REIMBURS	Character	1	Block 12
			Reimbursement
PER_DIEM_AUTH	Character	1	Block 13
			Per Diem Authorized
OTHER_PER_DIEM	Character	1	Block 13
			Other Per Diem Rate
AS_DET	Character	1	Block 12
			Overseas travel
			only
EST_PER_DIEM	Number	2 dp	Block 14
			Estimated Per Diem
EST_TRV_COST	Number	2 dp	Block 14
			Est. Travel Cost
EST_OTHER	Number	2 dp	Block 14
			Other Expenses
EST_TOTAL	Number	2 dp	Block 14
			Estimated Total
ADV_AUTHORIZED	Character	5	Block 14
			Advance Authorized
REMARKS	Character	420	Block 16

TABLE 3, cont.

REQ_OFF	Character	30	Block 17
			Requesting Official
APP_OFF	Character	30	Block 17
			Approving Official
APP_SUB_1	Character	16	Block 19
APP_SUB_2	Character	16	Appropriation
APP_SUB_3	Character	16	and Subhead
OBJ_CLASS_1	Character	4	Block 19
OBJ_CLASS_2	Character	4	Object Class
OBJ_CLASS_3	Character	4	
BUNO_1	Character	6	Block 19
BUNO_2	Character	6	Bureau Control
BUNO_3	Character	6	Number
SUB_AUTH_1	Character	3	Block 19
SUB_AUTH_2	Character	3	Sub-auth
SUB_AUTH_3	Character	3	
AUTH_ACCT_1	Character	8	Block 19
AUTH_ACCT_2	Character	8	Authorizing
AUTH_ACCT_3	Character	8	Acct. Activity
TYPE_1	Character	4	Block 19
TYPE_2	Character	4	Туре
TYPE_3	Character	4	

TABLE 3, cont.

TANGO_NO_1	Character	6	Block 19
TANGO_NO_2	Character	6	Travel Order
TANGO_NO_3	Character	6	Number
COST_CODE_1	Character	15	Block 19
COST_CODE_2	Character	15	Cost Code
COST_CODE_3	Character	15	
ORD_AUTH_OFF	Character	15	Block 20
			Order
			Authorizing
			Official
ISSUE_DATE	Date	D m Y	Block 21
			Date Issued
TRAVEL_ORD_NO	Character	20 IND	Block 22
			Travel Order
			Number

Record length is between 136 and 1720 bytes
1000 records may use between 226000 and 2527000 disk bytes

TABLE 4. FILE FORMAT NP1320.DF1

Element	Type	Width	Description
FROM_1	Character	60	Block 1
STAN_DOC_NO	Character	12 IND	Block 2 Standard Document Number
TANGO_NO	Character	12	Block 4
DATE	Date	D m	Block 6
REF_A	Character	40	BLOCK 7
INDIVIDUAL	Character	1	BLOCK 8 Individual Travel
GROUP	Character	1	BLOCK 8 Group Travel
PROCEED_ON	Date	D m Y	Block 9
AUTH_PROCEED	Date	D m Y	Block 10
APPROX_DAYS	Character	10	Block 11
EST_RETURN_DATE	Date	D m Y	BLOCK 12
ITINERARY	Character	240	Block 13
TEMADD	Character	1	BLOCK 14 TEMADD
TEMADDCON	Character	1	BLOCK 14 TEMADDCON
TEMADDINS	Character	1	Block 14 TEMADDINS
REASON	Character	120	BLOCK 15
AUTH_VISIT	Character	1	Block 16
APP_SYM_1	Character	7	Block 17

## TABLE 4, cont.

APP_SYM_2	Character	7	Appropriation symbol
APP_SYM_3	Character	7	
SUB_HEAD_1	Character	4	Block 17
SUB_HEAD_2	Character	4	Appropriation Subhead
SUB_HEAD_3	Character	4	
OBJECT_1	Character	3	Block 17
OBJECT_2	Character	3	Object Class
OBJECT_3	Character	3	
BU_CONT_1	Character	4	Block 17
BU_CONT_2	Character	4	BU CONT NUMBER
BU_CONT_3	Character	4	
SUB_ALLOT_1	Character	5	Block 17
SUB_ALLOT_2	Character	5	Sub-Allot Number
SUB_ALLOT_3	Character	5	
AUTH_ACCTG_1	Character	6	Block 17
AUTH_ACCTG_2	Character	6	Authorized ACCTG
AUTH_ACCTG_3 TY_1	Character Character	6 2	Activity Block 17
TY_2	Character	2	TYPE
TY_3	Character	2	
ACCTG_ACTY_1	Character	6	Block 17

TABLE 4, cont.

ACCTG_ACTY_2	Character	6	PROPERTY ACCTGACTY
ACCTG_ACTY_3	Character	6	
cc_1	Character	12	Block 17
CC_2	Character	12	Cost Code
CC_3	Character	12	
TRANSPORTATION	Number	2 dp	Block 18 Transportation
PERDIEM	Number	2 dp	Block 18 Per Diem
MISC_EXP	Number	2 dp	Block 18 Misc. Exp
TOTAL_EXP	Number	2 dp	Block 18 Total
CUST_ID_CODE	Character	18	Block 19
ITEM	Character	120	Block 20
COMMENTS	Character	400	Block 21
AUTH_SIG	Character	40	Block 23
TRANS_REQUEST	Character	240	Block 24
COPY_TO	Character	40	Block 25

Record length is between 122 and 1780 bytes
1000 records may use between 199000 and 2598000 disk bytes

TABLE 5. FILE FORMAT DD1351.DF1

<u> Element</u>	Type	Width	Description
PRIOR_PAY	Character	40	Prior travel payments or advances under these orders
DEP_1 ARR_1 DEP_2 ARR_2 DEP_3 ARR_3 DEP_4 ARR_4 DEP_5 ARR_5	Date Date Date Date Date Date Date Date	D m Y D m Y D m Y D m Y D m Y D m Y D m Y D m Y D m Y D m Y D m Y	· · · · · · · · · · · · · · · · · · ·
DEP_6 ARR_6 DEP_7 ARR_7	Date Date Date Date	D m Y D m Y D m Y D m Y	•
TIME_1 TIME_2 TIME_3 TIME_4 TIME_5 TIME_6 TIME_7 TIME_8 TIME_9 TIME_10 TIME_11 TIME_12 TIME_12 TIME_13 TIME_14	Short time		Block 1: Times
PLACE_1 PLACE_2 PLACE_3 PLACE_4 PLACE_5 PLACE_6 PLACE_7 PLACE_8	Character Character Character Character Character Character Character Character	15 15 15 15 15 15 15	Block 1: Place

## TABLE 5, cont.

MODE_1	Character	2		1: Mode of
MODE 2	Character	2	trave	<b>T</b>
MODE 3	Character	2		
MODE 4	Character	2		
MODE 5		2		
	Character	2		
MODE_6	Character	2		
MODE_7	Character	2		
STOP_1	Character	2	Block for s	1: Reason
STOP 2	Character	2	101 -	
STOP 3	Character	2		
STOP 4	Character	2		
STOP 5	Character	2		
STOP 6	Character	2		
_		2		
STOP_7	Character	2		
COL_1	Number	2 dp	Block lodgi	2: Cost of
COL 2	Number	2 dp	10491	9
COT 3	Number	2 dp		
COL 4	Number	2 dp		
COL 5	Number			
		2 dp		
COL_6	Number	2 dp		
COL_7	Number	2 dp		
MEALS_G_1	Integer	(0 to 2	255)	Block 3: Meals\Govt
MEALS G 2	Integer	(0 to 2	255)	•
MEALS G 3	Integer	(0 to 2		
MEALS G 4	Integer	(0 to 2		
MEALS G 5	Integer	(0 to 2		
MEALS G 6	Integer	(0 to 2		
MEALS G 7	Integer	(0 to 2		
MDMD0_C_/	incogor	(0 00 2	,	
MEALS_D_1	Integer	(0 to 2	255)	Block 3:
MEATE D 2	Tntogor	10 to 5	)55\	Meals\Ded
MEALS_D_2	Integer	(0 to 2		
MEALS_D_3	Integer	(0 to 2		
MEALS_D_4	Integer	(0 to 2		
MEALS_D_5	Integer	(0 to 2		
MEALS_D_6	Integer	(0 to 2		
MEALS_D_7	Integer	(0 to 2	255)	
OM_1	Integer	(0 to 2	255)	Block 3: Open Mess
OM 2	Integer	/0 +o 1	2551	Megg
	Integer	(0 to 2		
OM_3	Integer	(0 to 2	<b>4</b> 33)	

## TABLE 5, cont.

OM_4 OM_5 OM_6 OM_7	Integer Integer Integer Integer	(0 to 255 (0 to 255 (0 to 255 (0 to 25	5) 5) 5)
POC_MILES_1 POC_MILES_2 POC_MILES_3	Number Number Number	0 dp 0 dp 0 dp	Block 4: POC Miles
POC_MILES_4 POC_MILES_5 POC_MILES_6 POC_MILES_7	Number Number Number Number	0 dp 0 dp 0 dp 0 dp	
DATE_1 DATE_2 DATE_3 DATE_4	Date Date Date Date	D m Y D m Y D m Y	
N_E_1	Character	20	Block 5: Naure & Explanation
N_E_2 N_E_3 N_E_4	Character Character Character	20 20 20	
AMT_CLAIM_1	Number	2 dp	Block 5: Amt. Claimed
AMT_CLAIM_2 AMT_CLAIM_3 AMT_CLAIM_4	Number Number Number	2 dp 2 dp 2 dp	
ALLOWED_1 ALLOWED_2 ALLOWED_3 ALLOWED_4	Number Number Number Number	2 dp 2 dp 2 dp 2 dp	Block 5: Allowed
APPR_OFFICER	Character	15	Block 6: Approving Officer
NUMBER_1 NUMBER_2	Character Character	20 20	Block 7: Number
FROM1 FROM2	Character Character	20 20	Block 7: From
TO1 TO2	Character Character	20 20	Block 7: To

TABLE 5, cont.

LEAVE	Integer	0 to 255	Block 8: Leave days .
HOURS	Integer	0 to 255	Block 8: Leave hours
DATE_8	Date	D m Y	Block 8: Start date
DATE_9	Date	D m Y	Block 8: End date
POC_OWNER	Character	1	Block 9: POC Owner
POC_PASS	Character	1	Block 9: Passenger
СНЕСК	Character	1	Block 11: Check
CASH	Character	1	Block 11: Cash
PER_DIEM_REQ	Character	1	Block 12: Per Diem Requested

Record length is between 436 and 966 bytes.

1000 records may use between 518000 and 1408000 disk bytes.

## IV. EVALUATION PHASE

The evaluation phase actually consists of three tasks, all focused on redefining the scope and feasibility of the entire project. The first phase is determining alternatives to the proposed solution. Secondly the feasibility of the project is re-evaluated based on the more detailed specifications which are now available to the designers. Finally all user requirements are evaluated within the scope of the alternative solutions. [Ref. 3:pg. 78]

The evaluation phase will be effective only if a thorough understanding of the system requirements is achieved during the earlier phases of development. It was decided early on that using the OMNIS7 Integrated Development Environment would provide for the development of a graphical user interface which would facilitate learning by end users. The hardware requirements were determined to be of minimal concern as there is an ample supply of personal computers within the Administrative Sciences Department.

It was decided that the choice of printer would be delayed until the TDS prototype was installed. This would allow the developer to evaluate the printers available in the Administrative Sciences Department and select the one best suited for the application.

The application is designed using a structured approach. The only possible obstacle foreseen was the process of learning how to manipulate a very powerful database development environment. Otherwise it was still well within the realm of possibility for this project to be completed within the expanded time constraints.

development environment. Otherwise it was still well within the realm of possibility for this project to be completed within the expanded time constraints.

#### V. DESIGN PHASE

The objective of the design phase is to develop a blueprint for the database and its associated applications. During this phase the development team establishes the database schema, the application sub-schema, formats for forms, reports, menus as well as the underlying logic. The mechanisms for update display and control are also determined at this time. After the database has been designed the team can design each application which consists of a collection of menus, forms reports and programs which meet the specific user needs. [Ref. 3:pg. 79]

#### A. NORMALIZATION

The goal of a logical database is to represent objects in the database using relations. The construction of user objects so that rows of data can be inserted, deleted, and modified without resulting inconsistencies or errors is paramount. The deletion anomaly occurs when one object is deleted and has the effect of deleting data from another object instance. The insertion anomaly occurs when data cannot be inserted into one entity until data is known about another entity. These conditions can cause serious problems in database design. The current design has all its relationships, as defined in Tables 1 - 5, in Boyce-Codd Normal Form.

#### B. PHYSICAL DATABASE DESIGN

The four file formats involved in the Travel Database system are delineated in Tables 1 through 5. The key attributes (SSN, TRAVEL\_ORD\_NO, and STAN\_DOC\_NO) are noted with an asterisk. Their relationship to one another is graphically represented in Figure 2. In the OMNIS7 environment the unique key attribute is used to functionally define each relation, in other words, the remaining attributes of an object are associated in that file format to that unique key. As an illustration, only one record may have a particular SSN in the PERSDATA file. Likewise only one travel order may be linked to a unique Travel Order Number, although several travel orders may belong to one SSN. The relations are linked using OMNIS7's record sequencing number (RSN) feature.

The RSN feature takes care of the requirement to carefully arrange relational joins to avoid anomalies. For instance, if a personnel record is deleted, all of that person's travel orders and travel claims are still available. Likewise, a travel claim or travel order can be deleted without affecting the associated personnel record.

#### VI. IMPLEMENTATION PHASE

The final phase of the process is implementation. The details of the implementation depend a great deal on the DBMS being used. OMNIS7 is a very powerful program and nearly all of the requirements could be generated by the automatic code generation features of the development environment. This feature reduced the amount of effort required in the initial phase of implementation. Testing and installation are the final two stages of the implementation phase. [Ref. 3:pg 81]

#### A. PROGRAMMING

The goal of this phase is to construct the system as designed. The powerful nature of the OMNIS7 Development Environment did not require a great deal of custom coding (creating procedures in OMNIS7 parlance). Those custom procedures which were coded are included in Tables 6 through 9. The majority of the code is generated automatically by OMNIS7 and is therefore transparent to the developer. Procedures can be initiated for any field on any window or custom pushbuttons can be generated. The code written for this application facilitated report printing.

## TABLE 6. CUSTOM PROCEDURES - PERSONEL WINDOW, W\_PERS DATA

## 0. Initial Control Procedure

Set Main File {FPERS DATA}

Prepare for insert

## 24. DD 1610 (pushbutton)

Open window W DD1610

## 25. NAVPERS 1320 (pushbutton)

Open window NA VPERS 1320

# TABLE 7. CUSTOM PROCEDURES - NAVPERS 1320 WINDOW, NAVPERS 1320

## 66. PRINT NAVPERS 1320 (pushbutton)

Set report name RD NAVPERS 1320

YES/NO message (Large size) {Print Standard Document Number

## [STAN\_DOC\_NO] for [FIRST\_NAME] [LAST\_NAME] ?}

If flag true

Prepare for print

Print record

Print totals

End if

#### 67. DD 1351 (pushbutton)

Open window W\_DD1351

## TABLE 8. CUSTOM PROCEDURES - DD 1610, W\_DD1610

72. PRINT DD 1610 (pushbutton)

Set report name DD\_1610

YES/NO message (Large size) {Print Travel Order Number

[TRAVEL\_ORD\_NO] for [FIRST\_NAME] [LAST\_NAME] ?}

If flag true

Prepare for print

Print record

Print totals

End if

#### 73. DD 1351 (pushbutton)

Open window W\_DD1351

## TABLE 9. CUSTOM PROCEDURES - DD 1351, W\_DD1351

#### 72. PRINT DD 1351 (pushbutton)

Set report name DD\_1351

YES/NO message (Large size) {Print DD 1351 for [FIRST\_NAME]

[LAST NAME] ?}

If flag true

Prepare for print

Print record

Print totals

End if

#### **B.** TESTING AND INSTALLATION

The TDS was tested as a complete unit, although it consists of three separate modules. The system was installed on an Administrative Sciences Department PC and test data was entered. Some format errors were discovered on the data input screens, which were corrected immediately. Some errors were also found in connection with report output. Upon careful examination of these errors it was concluded that the existing printer could not support the application. A new printer was therefore procured and all errors were subsequently eradicated from the system.

#### VII. CONCLUSION

The Travel Database System is currently installed in the Administrative Sciences Department Support Staff Office and is running in accordance with the design specifications. The users have indicated satisfaction with the system although it is not being used to the fullest. The result of maximizing the use of this system would undoubtedly be an increased productivity and a more uniform output from the office.

The integration of an accounting system with TDS would further the department's dependency upon these applications. This would improve user acceptance of the computer in the work space. The generation of future applications using OMNIS7 is highly recommended.

Future upgrades to the existing system can be readily determined as well. A series of reports highlighting accounting data and travel as well as further automation of data retrieval are just two examples.

# APPENDIX A. USER'S GUIDE TO THE ADMINISTRATIVE SCIENCE DEPARTMENT'S TEMADD DATABASE SYSTEM

#### A. INTRODUCTION

The purpose of this manual is to familiarize the user with the Administrative Sciences Department's TEMADD Database System (TDS). The system is linked through a series of windows or, for more experienced users, a series of pull down menus. The system is designed to be easy to use but does require some familiarity with Microsoft Windows and the use of a mouse.

#### **B. GETTING STARTED**

Before running TDS, the OMNIS7 Integrated Development Environment and Microsoft Windows must be installed as specified in their respective user's manuals. The application file TRAVEL.APP must be loaded onto the hard drive. The hard disk storage space required is 4 MB. The data files can be maintained on a floppy. To run the application from the prototype software the user must first initialize Microsoft Windows. The following steps will guide the user to the PERSONNEL window.

- 1. From PROGRAM MANAGER select the OMNIS7 Icon and initialize the OMNIS7 Integrated Development Environment.
- 2. From OMNIS7 Bar Menu select **FILE**. Select **OPEN APPLICATION** from the pull down menu. See Figure A-1.




Figure A-1. Initialization Pull Down Menu

3. Highlight **TRAVEL.APP** from the pop-up menu and press < enter > . See Figure A-2.




Figure A-2. Select Application Pop-Up Menu

4. Select **DESIGN** from the OMNIS7 bar menu. Next, select **MENU FORMATS...** from the pull down menu. See Figure A-3.




Figure A-3. Design Pull Down Menu

5. Highlight **TRAVEL** from the pop-up menu and Select the **INSTALL** option from the buttons on the right hand side of the pop-up menu. See Figure A-4.




Figure A-4. Menu Formats Pop-Up Menu

- 6. The TRAVEL menu will now be installed in the bar menu.
- 7. Highlight the **TRAVEL** selection from the bar menu. The **PERSONNEL** option will be highlighted. See Figure A-5.




Figure A-5. Travel Database Pull Down Menu

8. Press ENTER. The PERSONNEL entry form will come up on the screen. See Figure 6. The TDS is now ready for data entry.




Figure A-6. Personnel Data Entry Window

#### C. PUSH BUTTONS

There are five push buttons common to all four data entry windows, the pushbuttons which are unique will be described in the data entry portion.

- 1. FIND. The FIND button will initialize a search on the file until the designated record is found. If the record is not found the user is told that no match exists. To use this feature place the mouse over the blue FIND button and depress the left mouse button. The cursor will be automatically in the data entry field against which the search will be conducted. Enter the value (name, travel order number, etc.) which is the unique value of the record you wish to find and press ENTER or press the OK push button. If the record exists it will be displayed. If you are told that the record does not exist, check the entry and try again.
- 2. **EDIT.** The **EDIT** pushbutton will prepare the record which is currently displayed for editing. The cursor will tab between fields, highlighting the active field. The user may also highlight the field by placing the mouse arrow directly on the field which is to be edited and pressing the left button. When the desired field is highlighted the editing may be completed. Once all of the desired fields are edited, the user must press the **OK** button.
- 3. **INSERT.** The **INSERT** pushbutton places the cursor in the first field into which data may be entered. Once a record is completed the user must press **ENTER** or **OK**.
- 4. OK and CANCEL. These pushbuttons are active during the EDIT and INSERT operations and are used to end the process. OK allows the data to be written to the file. CANCEL simply ends the data entry process without writing to the data file.

#### D. PERSONNEL DATA FORM

#### 1. Data Entry

1. Move the mouse over the **INSERT** pushbutton. After the button has been pressed the cursor will be in the **LAST NAME** data entry field.

- 2. Enter the required data and <TAB> to the next field. Once all the required data is entered press the OK button in the same fashion described in step one.
- 3. To insert another record repeat step one.

#### 2. Find\View\Edit Record

- 1. Position the mouse over the find button and depress the left mouse button.
- 2. The cursor will automatically move to the LAST NAME field.
- 3. At this point, if the last name is known, enter it and press **ENTER**. The desired record will appear in the data entry form.
- 4. If the last name is unknown, enter the first initial of the last name and press < ENTER >.
  - a. At this point, the first record beginning with the desired letter will appear. To scroll through the records position the mouse over the **NEXT** pushbutton and click with the left mouse button. Each click will put the next record into the data entry window. Continue clicking until the desired record is found.
- 5. To **EDIT** the record simply position the mouse over the **EDIT** pushbutton and depress the left mouse button. The first data entry field will be highlighted. To move from field to field press <**TAB>**.
- 6. Edit fields as desired. When the editing is complete position the mouse over the OK pushbutton and depress the left mouse button, or press < ENTER >.

#### 3. Delete Record

- 1. Find the Personnel Record which is to be deleted.
- 2. Position the mouse over the **COMMANDS** selection from the bar menu.
- 3. Highlight **DELETE**.

- 4. A confirmation window will pop-up in the bottom left hand corner of the screen. If the record is to be deleted, select "YES." If a different record is to be deleted, select "NO" and find the proper record.
- 5. This option will permanently remove the selected record from the data base. It is recommended that extreme caution be used when exercising this option.

#### 4. DD 1610 Data Entry Form

#### a. Data Entry

- 1. Initiate the DD 1610 Data Entry form the Personnel Data entry Form. The method for doing this is as follows:
  - a. Once the desired Personnel Record has been entered or found position the mouse over the **DD 1610** pushbutton and depress the left mouse button. The DD 1610 Data Entry Form will come up on the screen with the personnel data fields already filled.
- 2. In order to initiate a new DD 1610, position the mouse over the **INSERT** pushbutton and depress the left mouse button. The database is now ready to accept a new record.
- 3. The cursor will be positioned in the **TYPE ORDER** data entry field. As the data is entered, tab from field to field.
- 4. When all the required data is filled in press **<ENTER>** or position the mouse over the **OK** pushbutton and depress the left button.

#### b. Find\View\Edit Record

- 1. In order to find a DD 1610 for viewing or editing position the mouse over the **FIND** button and depress the left mouse button.
- 2. The cursor will be positioned in the TRAVEL ORDER NUMBER field. Enter the travel order number which is associated with the record to be viewed or edited. Press <ENTER> and the desired record will be brought to the screen.

3. To EDIT the record, position the mouse over the field to be edited and depress the left mouse mountain. <TAB> between fields and complete the required editing. When all the editing is completed press <ENTER>.

#### c. Delete a Record

- 1. If a record is to be deleted, it must be brought into the data entry form as described in the Find\View\Edit section. Delete as described in the Personnel section.
- 2. Exercise extreme caution when using this option. The record will be permanently removed from the database if the option is completed.

#### d. Print a DD 1610

- 1. Complete the data entry for the DD 1610.
- 2. Position the mouse over the **PRINT DD 1610** pushbutton. Depress the left mouse button.
- 3. A confirmation window will appear asking the user to confirm the name and travel order number.
- 4. If the information in the confirmation window is correct, select **YES**. If not, select **NO**.
- 5. Once the form has been printed, position the transparency over the data sheet and create a copy. This is the original.

#### e. NAVPERS 1320

The procedures for manipulating this form are the same as for the DD

1610.

## f. DD 1351

The procedures for manipulating this form are the same as for the DD 1610 and NAVPERS 1320.

## APPENDIX B REQUIRED FORMS

	B-1	Figure B
DD form 135		

			(Refe	rence: Iomi	TRAVEL OF DO	1. DATE OF REQUEST				
(Reference: Joint Travel Reg Travel Authorized as Indicated in It						tems 2 through 21	• =			
						OFFICIAL TRAVEL				
ı, NAİ	ME (Lasi, First,	Middle mulli)				3. POSITION TIT	LE AND	GRADE OR RATING	•	
						1				
4. OFFICIAL STATION						5. ORGANIZATIONAL ELEMENT 6. PHONE NO.				
7. TYPE OF ORDERS 8 SECURITY CLEARANCE						9 PURPOSE OF	TDY			
	J	-				1	-			
						]				
Od. Al	PPROX NO. OF DY (Including tro	DAYS OF	h PROCE	ED O/A(Date	7	l				
			1			1				
1. IT	INERARY		☐ VAF	RIATION AUT	HORIZE	D				
2.				MODE	OF TRA	NSPORTATION				
A.F.	COMME			GOVERNMENT			TELY OW	NED CONVEYANCE (C	heck one)	
RAIL AIR BUS SHIP			AIR	VEHICLE	SHIP	RATE PER MILE				
						1—		S TO GOVERNMENT		
	AS DETERMINED	BY APPROPRIATE	TRANSPORTA	TION		MILEAGE R	COST O	MENT AND PER	DIEM LIMITED TO CON- ER TRANSPORTATION & TR TRAVEL TIME LIMITED	
	STERLER (UVERS	cas travel only	,			RELATED PE	A MAIG N RTL NI D	S DETERMINED IN J	TR TRAVEL TIME LIMITED	
		DIEM AUTHOR		ORDANCE V	ITL HTIV	₹				
<u> </u>	THER RATE OF	FER DIEM(N	~~# <i>}</i> /	ESTIA	ATED C	OST			15. ADVANCE AUTHORIZED	
PER DI	D4	TRAVE			OTHER		TOTAL		AUTHORIZED	
					1.		1			
14. A	EMARKS <i>(Use I</i>	this space for a	pecial requir	emenis, leave,	superior	or Ist-class accon	\$ imodellor	u, excess b <b>eggege</b> ,	s registration fees, etc.)	
	EMARKS (Um 1				superior		nmodetion	is, excess baggage,		
	EQUESTING O	FFICIAL (Tik	and signature	•)	AUTHO	18. APPROVING	nmodetion			
17. R		FFICIAL (Tile				18. APPROVING	nmodetion	AL (Tile and signati		
17. R	EQUESTING O	FFICIAL (Tile	and signature	BUREAU CONTROL	AUTHO	18. APPROVING	of FICI	AL (Tile and signati	ire)	
17. R	EQUESTING O	FFICIAL (Tile	and signature	BUREAU CONTROL	AUTHO	18. APPROVING	of FICI	AL (Tile and signati	ire)	
NOITATE AND TANK	EQUESTING O	RIATION RAD	ond signature	BUREAU CONTROL NUMBER	AUTHO	RIZATION  AUTHORIZATION  ACCOUNTING  ACTIVITY	offici	AL (Title and signation of the second signature) TRAVEL ORDER (Tango) NO	ire)	
17. R	EQUESTING O	RIATION RAD	ond signature	BUREAU CONTROL NUMBER	AUTHO	RIZATION  AUTHORIZATION  ACCOUNTING  ACTIVITY	offici	AL (Tile and signati	ire)	
17. R	EQUESTING O	RIATION RAD	ond signature	BUREAU CONTROL NUMBER	AUTHO	RIZATION  AUTHORIZATION  ACCOUNTING  ACTIVITY	TYPE	AL (Title and signation of the second signature) TRAVEL ORDER (Tango) NO	COST CODE	

Figure B-1. DD form 1610

ROM.					UTY (TEMADD) TI		··	
							2. STANDAR	D DOCUMENT N.
го.		·		<del></del>	<del>"</del>		4. TAN3O N	0.
	•						£ SSN/DESI	GNATOR
							6. DATE	
REF (A)	<del> </del>						8. PHOYA	CUAL GROUP
PROCEED C	ON OR ABOUT		NUTHORIZED I	PROCEED ON O	R 11. APPROXIM	MATE NUMB		ED DATE OF RETURN
ITINERARY	(Acomy/acomb	es and Place/p	laces indicated	below)		14. [	TEMADO [] TI	EMADOCON TEMADO
						15. REA	SON FOR TRAVEL:	
						Ì		
						16.	AUTHORIZED VISIT SUC	H ADDITIONAL
							PLACES AS MAY BE NE	CESSARY
APPROPE	DIATION:	OBJECT	BU CONT	SUB-ALLOT	OUNTING CLASS		20005000	0007 0007
YMBOL AND		CLASS (3)	NUMBER (4)	NUMBER (5)	ACCTG ACTY (6)	TYPE (7)	PROPERTY COST CO ACCTG ACTY (6) (9)	
(7 SYM)	(4 SYM)	(3 SYM)	(5 SYM)	(1 SYM)	(6 SYM)	(2 SYM)	(6 SYM)	(12 SYM)
			ESTIMATE	·····			19. CUSTOMER IDE	NTIFICATION CODE
MINSPORTA		PER DIEM \$	4	AISC. EXP.	TOTAL \$			
TEM ##=								
	applicable item	· · · · · · · · · · · · · · · · · · ·			settle your travel	expenses."		
Report to a Di		er within 10 d	lays after comp		settle your travel o	expenses."		TY CLEARANC
Report to a Di	sbursing Office	er within 10 d	lays after comp		settle your travel o	expenses."		FIED THAT YOU
Report to a Di	sbursing Office	er within 10 d	lays after comp		settle your travel o	expenses."	HOLD A	FIED THAT YOU
Report to a Di	sbursing Office	er within 10 d	lays after comp		settle your travel o	expenses."	HOLD A	FIED THAT YOU
Report to a Di	sbursing Office	er within 10 d	lays after comp		settle your travel o	ехропаев."	HOLD A BASED COMPLETE BY	FIED THAT YOU
Report to a Di	sbursing Office	er within 10 d	lays after comp		settle your travel o	expenses."	HOLD A	D,
Report to a Di	sbursing Office	er within 10 d	lays after comp		settle your travel	ехрепаев."	HOLD A BASED COMPLETE BY	D,
Report to a Dr. 1 ADDITION	ISDUISING Office AL COMMENT	er within 10 d TS AND INST	lays after comp	pletion of travel to	settle your travel o		HOLD A BASED COMPLETE BY	D,
Report to a Dr. 1 ADDITION	ISDUISING Office AL COMMENT	er within 10 d TS AND INST	lays after comp	pletion of travel to			HOLD A BASED COMPLETE BY	D,
Report to a Dr 1 ADDITION 23 AUTHENT 24 TRANSPO	ISDUISING Office AL COMMENT	or within 10 d TS AND INST NATURE	lays after comp TRUCTIONS:	pletion of travel to			HOLD A BASED COMPLETE BY	D,

Figure B-2. NAVPERS 1320/16

rp	AVEL	VOLICH	ER OR SUBVOUCHER	7	1.00	nplete by ty 12RESS H	pewriter,	nk or		,	102-LF-013-2803
			Y ACT STATEMENT ON RE	VERSE	OIN PY	1.2COMP	ARD) do	noi use	pencil)	10 FOR DO U	SE UNLT
ŠT NJ	WE TIR	T NAME	MICOLE INITIAL IPHAI'Type	GRAD	E PANK	ST ST	EIINU	MISE	/RM		
						İ				SURVOUCHERTO	
ECKI	MA LING	ADDRESS	(Include ZIP Code)	ـ		OUTVE	ONE NO		~~~~	ł	
						į				PAID	BY
GANL	ZATION	NO STAT	ON								
AVEL	OROERS	(Paragrap	A, S O. No , issuing He , Date) (Inch	ude umen s	ling order	7)					ļ
IOG T	RAVE! P	AVIENT	S OR ADVANCES UNDER THESE O	2020	/4	- PVI Kausa	4 NA 74		- Name and		
DO SA	ories No	[ NOTE, 20	2000)	A COLO	/Amount			ARITH	u, rseet pars,		
										ļ	
		ITEM	FARY (See Hem 25 for Symbols)			2	3 NUM	BEA	4	1	
ATE	LOCA	U TIME	PLACE	8.5	Žes.	COST	0001	<u> </u>	POC	j	
	(34 Ho	w Clock)	(Home, Office, base, Activey, City and State, City and Causiry, etc.)	74050 EVE	\$5.2	LODGING		OPEN	MILES		
	DEP					100.00	DED .				
	ARA		'	W, 23			/	1		}	
	DEP			-			<u> </u>	<u></u>			
	APR			<u> </u>	L		1/	1		СОМРИ	/ATIONS
	DEP ARR			37.55	ļ		K-,	<b> </b>		1	
	DEP				ļ		1/	1		<del> </del>	·
	ARA		<del></del>	<del> </del>			<del></del>	┼	<u> </u>	<b> </b>	
	O€₽						/	1	7.00.11.11	<u> </u>	
	AAA			+			<del>/                                    </del>	┼──		<del> </del>	
	DEP						/		<del>- 2.1. 22.</del>	<del> </del>	
_	ARR			<b>—</b>			1	<del> </del>	<del></del>	<u> </u>	
	DEP										
	ARR			X			17	1		1	
		REM	BURSAINE EXPENSES/CHARGE		UCTION	E MEALS '	See Irem 24	<u> </u>			
DA	ΙΤΕ.		HATURE AND EXPLAN	MTION			ANTCL	AMED	MTOMED		
							├		<b> </b>	<del> </del>	
						<del></del>	<del> </del>		<del> </del> -	·}	OF PAYMENT
							<del> </del>		<del> </del>	Per Diem Actual Expense	
Lon	e distance	telephone	calls are certified as necessary so the			APPRO	WING OFF	ICER/31	USC 680e)	Mileage or Transp Allowand	**
		Governme				l				Rembursable Expenses	<del></del>
			TR SAITA SAI	18/U/no	w, 10 11¢	N)				Total Entitlement	
	NUMBE		FROM					ro o		Leas Previous Payments	
										Lees Voucher Deductions	
										Ant Charged to Acctg Class	·
						ļ				11 PAYMENT DESIRED	_
			<u> </u>			<u> </u>				☐ CH€CX	□ cvsx
	VE STATE			hours tak	en betwe						REQUESTED
			OV.NER/OPERATOR/Ser / Jen HRM/Hy making a false claim is: A.M./		FINE O		PASSEN		USONMENTO	13 BAS RATE	Title 18 Septem 182 I
			amount due me The statement						OF CLAIMANT		DATE
			and complete Payment at credit								
ACC	CUNTIN	G CLASS	FICATION				т				<u> </u>
CO	LLECTIO	NCATA									
	1 m	-									
CON	MPUTED	BΥ	18 AUDITED SY	BY TVL	ACRD P	OSTED 20	MECEIVE	O (Peye	e signature and d	late or check no )	21 AMOUNT PAID
											<b>→</b>

Figure B-3. DD form 1351

#### LIST OF REFERENCES

- 1. Blythe Software, Integrated Development Environment Series, OMNIS SEVEN, 1991.
- 2. Ditri, T. A., Upgrade and Enhancement of the A.S. Department Financial Management Information System; Development of the FMIS Property Management Module, Master's Thesis, Naval Postgraduate School 1991.
- 3. Kroenke, M. and Dolan, A., *Database Processing*, 3rd ed., Macmillan, Inc., 1988.
- 4. Saunders, K. M, The Relational Database Advisor, Elements of PC Database Design, Windcrest/McGraw-Hill, 1992.
- 5. Whitten, Bentley and Barlow, Systems Analysis and Casign, 2nd ed., Irwin 1989.

## INITIAL DISTRIBUTION LIST

		No. Copies
1.	Library, Code 52 Naval Postgraduate School Monterey, CA 93943-5002	2
2.	Computer Technology Programs, Code 37 Naval Postgraduate School Monterey, CA 93943-5000	2
3.	Department of Administration Sciences, Code AS Naval Postgraduate School Monterey, CA 93943-5002	1
4.	Professor Tung X. Bui, Code AS/BU Naval Postgraduate School Monterey, CA 93943-5002	1
5.	Professor Shu Liao, Code ASLC Naval Postgraduate School Monterey, CA 93943-5002	1
6.	LT Matthew C. Ragan 17205 S.E. 238th St. Kent, WA 98042	1